



TOSLINK AUDIO SWITCH

AC-1594 USER MANUAL





This Digitech Toslink Audio Switcher with Infrared enables you to connect three digital optical Toslink sources – such as a DVD player or PS4 - to one optical Toslink input on your AV amplifier or TV. Please refer to the following instructions for how to use the switcher.

FEATURES:

- Connects with three optical sources
- Supports signal retiming
- Remembers settings since last turned off
- Over-voltage protection can prevent damage caused by connecting devices with the incorrect voltage
- LED status indicator
- No loss of optical quality
- Installs in minutes

INSTALLATION:





NOTE:

- If no sound is detected;
 - 1) Check the cables are connected securely
 - 2) Ensure the connected equipment is in good working order
 - 3) Check the signal source is on
 - 4) Check the volume is turned up to the correct level

BOX CONTENTS

- 1 x TOSLINK Switch
- 1 x USB Power Cable
- 1 x Remote Control
- 1 x IR Extender/Receiver
- 1 x User Manual

SPECIFICATIONS

Supported Audio Format:	LPCM2.0/DTS Dolby-AC3
Peak Wavelength:	650nm
Max Baud Rate:	16Mbps
Output Cable Distance:	≤40m
Power Supply:	USB Power Cable
Operating Temp:	0°C~40°C
Operating Humidity:	5~90% RH
Dimensions:	
	Switch: 60(L) x 54(W) x 20(H)mm
	Remote: 85(L) x 40(W) x 5(H)mm
	USB Cable: 700mm long
	IR Extender/Receiver: 470mm long

DISTRIBUTED BY:

TechBrands by Electus Distribution Pty. Ltd.
320 Victoria Rd, Rydalmere
NSW 2116 Australia

Ph: 1300 738 555
Int'l: +61 2 8832 3200
Fax: 1300 738 500

www.techbrands.com

Made in China