



HS8782

Solar Panel Bracket Mount

4 Pack



Instruction Manual











To prevent serious injury, read and understand all warnings and instructions before use. Keep these instructions safe for future use.

PLEASE READ THESE INSTRUCTIONS PRIOR TO INSTALLATION

- At least two people are required to set up the solar panel. Keep children away from the set up area.
- Check contents of kit before commencing fitment and report any discrepancies.
- Leave these instructions with the vehicle after installation is complete for future use.
- All bolt connections should be checked after driving a short distance when you first install the solar panel.
- Bolt connections should be checked again at regular intervals.
- The roof bars need to be checked each time they are refitted.
- Remove the solar panel and roof racks before entering an automatic car wash.


BOX CONTENTS

PART #	PARTS DETAILS		QTY
1	Stainless steel Z-bracket		4
2	M8x16mm T-Bolts		4
3	M8 Channel Nut		4
4	Aluminium plate		4
5	M8x20mm Bolt		12
6	Stainless steel spring washer		12
7	Stainless steel flat washer		12
8	M8 Nyloc Stainless steel nut		12


Brackets are stainless steel grade 201
Screws and Nuts are stainless steel 304 grade
4 x base pads are Alu 6061

USAGE INSTRUCTIONS

1. Make sure to have crossbars spaced at the correct distance for installation of the solar panel(s).



2. Finger tighten each hex bolt onto the hole at the back of solar panel respectively.
You need to install 4 screws on all four holes of each solar panel as per image showing below.



OPTION 1: MOUNTING DIRECTLY TO ROOF RACKS THAT HAVE CHANNELS

A. Assemble the brackets and required parts to suit your crossbars. Finger tighten all bolts, washers and nuts in place.




Aero Setup



Heavy Duty Setup

B. With the brackets assembled, slide solar panel assembly into the crossbars installed on the vehicle. Make sure to have cut the rubber buffer strips long enough in the cross bars to suit the brackets fully fitting into each end of cross bars. Finger tighten in place first.



C. Adjust the location of the solar panel(s) assembly to suit the cross bar distance on vehicle to make sure the solar panel(s) and all parts are located correctly in the cross bars. Then, tighten everything once the position of solar panel(s) has been set. The channel nuts must sit across the bar when tightened(max 12Nm-M8).

OPTION 2: MOUNTING DIRECTLY TO A ROOF BASKET

- With help from another person, hold the solar panel onto the roof basket.
- Finger tight the Z-bracket, two M8 Stainless steel hex bolts, two spring washers, two flat washers, roof basket wire(s) and one aluminium plate as shown below. Apply this procedure to all 4 corners on the solar panel.
- Ensure the solar panel is in desired place then tight all bolts, washers and plates firmly.
- Please check all bolts, washers and plates periodically to make sure they are tight.



MAINTENANCE

- Remove dirt and grime after each use. Use a soft and damp cloth and warm soap water if required.
- Never submerge any part of the kit into any solution. DO NOT USE any solvents such as gasoline, turpentine etc. to clean any part of this kit.

WARRANTY INFORMATION

Our product is guaranteed to be free from manufacturing defects for a period of 12 Months.

If your product becomes defective during this period, Electus Distribution will repair, replace, or refund where a product is faulty; or not fit for intended purpose.

This warranty will not cover modified product; misuse or abuse of the product contrary to user instructions or packaging label; change of mind and normal wear and tear.

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and failure does not amount to a major failure.

To claim warranty, please contact the place of purchase. You will need to show receipt or other proof of purchase. Additional information may be required to process your claim.

Any expenses relating to the return of your product to the store will normally have to be paid by you.

The benefits to the customer given by this warranty are in addition to other rights and remedies of the Australian Consumer Law in relation to the goods or services to which this warranty relates.

This warranty is provided by:

Electus Distribution

Address 46 Eastern Creek Drive, Eastern Creek NSW 2766

Ph. 1300 738 555