POWERTECH

15W Wireless Qi Fast Charger



User Manual MB-3671

Box Contents:







Product Diagram:



Operation:

Power:

- 1. Insert the USB power cable in a 5VDC/9VDC USB mains power adaptor (not included) or a suitable USB charging port such as a computer.
- 2. Insert the USB micro B plug in to the USB power socket of the wireless charging stand. If you have a USB Type-C cable, then you can also use this to power the wireless charger.
- 3. The LED status indicator will turn blue once charging has indicated.

Note: It is suggested to use a Qualcomm® Quick Charge™ 3.0 USB mains adaptor for fast charging. Please

check to see if your device supports quick charge otherwise it will charge at 5W.

Charging:

- 1. Place your Qi enabled wireless smartphone on top of the wireless charging pad.
- 2. If you have a Qi Samsung smart watch; place it in the middle circle of the charging pad to begin charging.
- 3. The LED status indicator will stay blue to indicate that the device is charging. The LED will turn off when fully charged.

Troubleshooting:

Problem:	Solution:
Will not charge device	Ensure your smartphone supports Qi wireless charging
	Ensure the mobile device is placed directly in the centre of the charging pad or horizontally
	Restart your mobile device and wireless charger
	Take off your phone case as it may be interfering with the wireless charger
Will not power on	Ensure the USB cable is connected properly to a suitable USB mains adaptor or charging port

Safety:

1. Do not place any metal objects, magnets, magnetic stripe cards or metal phone cases between the mobile device and the charger as it may not work properly.

2. Keep the wireless charger at least 20cm away from any implantable medical devices such as a pacemakers or cochlear, etc. to avoid interference with the medical device.

3. Do not open the case of the wireless charger to avoid damage and injury.

4. Keep the wireless charger away from high temperatures as it may cause damage to the speaker and battery.

5. Do not expose the wireless charger to water, moisture or liquids to prevent the unit from damage.

6. If using a third party mains power adaptor; make sure the voltage and current match the specifications as 5VDC or 9VDC.

Specifications:

Input: 5VDC @ 2A, 9VDC @ 2.5A

Voltage Output: 5VDC, 9VDC

Current Output: 5V @ 0.6A (3W)

5V @ 1A (5W)

9V @ 0.8A (7.5W)

9V @ 1.1A (10W)

9V @ 1.67A (15W)

Output Power: 3W/5W/7.5W/10W/15W

Charging Efficiency: 73% (Max)

Charging Distance: ≤10mm

Dimensions: 100(Dia) x 8(H)mm

Distributed by: TechBrands by Electus Distribution Pty. Ltd. 320 Victoria Rd, Rydalmere NSW 2116 Australia

NSW 2116 Australia Ph: 1300 738 555 Int'l: +61 2 8832 3200 Fax: 1300 738 500 www.techbrands.com