POWERTECH

Magnetic Wireless Qi Charging Pad



Instruction Manual

BOX CONTENTS:

- 1 x Magnetic Wireless Qi Charging Pad
- 1 x Ring Magnet

OPERATION:

- Insert the USB-C power cable in a 5VDC/9VDC USB mains power adaptor (not included) or a suitable USB charging port such as a computer.
 Note: It is suggested to use a Qualcomm® Quick Charge™ 3.0 or Power Delivery USB mains adaptor of up to 18W for fast charging. Please check to see if your charger supports quick charge otherwise it will charge at 5W.
- **2.** Place your Qi wireless enabled smartphone on top of the wireless charger to begin charging.
- **3.** The charging pad is compatible with MagSafe® iPhones® which will magnetically charge on this device. If your device is Android or an older generation of iPhone®, then you can stick the included ring magnet to the rear side of your smartphone.

Note: This device doesn't support smartphone cases when using the ring magnet as it may not charge properly.

TROUBLESHOOTING:

Problem:	Solution:
Will not charge device	Ensure your smartphone supports Qi wireless charging.
	Ensure the mobile device is placed directly in the centre of the charging pad.
	Restart your mobile device and wireless charger.
	Take off your phone case as it may be interfering with the wireless charger.
Will not power on	Ensure the USB cable is connected properly to a suitable USB mains adaptor or USB charging port.

SAFETY:

- 1. Do not place any metal objects, magnets, magnetic stripe cards or metal phone cases between the mobile device and the charger as it may not work properly.
- 2. Keep the wireless charger at least 20cm away from any implantable medical devices such as a pacemakers or cochlear, etc. to avoid interference with the medical device.
- 3. Do not open the case of the wireless charger to avoid damage and injury.
- **4.** Keep the wireless charger away from high temperatures as it may cause damage to the device.
- 5. Do not expose the wireless charger to water, moisture or liquids to prevent the unit from damage.

SPECIFICATIONS:

Input:	5VDC @ 2A, 9VDC @ 2A, 12VDC @ 2A
Voltage Input:	5VDC, 9VDC
Current Output:	5V @ 1A (5W) 9V @ 0.8A (7.5W) 9V @ 1.1A (10W) 9V @ 1.67A (15W)
Output Power:	5W / 7.5W / 10W / 15W
Charging Efficiency:	73% (Max)
Charging Distance:	≤8mm
Dimensions:	55(Dia) x 5(H)mm

Distributed by: Electus Distribution Pty. Ltd. 320 Victoria Rd, Rydalmere NSW 2116 Australia www.electusdistribution.com.au

Made in China