



SL3704

Rotatable Work Light with Tripod



Instruction Manual

INTRODUCTION

Please read these instructions carefully before using this product. Keep this manual for future reference, as it contains important information regarding the safe operation, charging, and maintenance of the torch.

SAFETY WARNINGS

- Do not expose to fire or high heat
- Do not disassemble or short-circuit
- Stop use if swollen or overheating
- Store in a cool, dry place if unused for more than 3 months

Note: The light source in this luminaire is non-replaceable.

FEATURES

- The light source adopts high-quality LED beads, with high brightness and a lifespan of over 100000 hours.
- Built in rechargeable battery, can be connected to Type-C interface via USB cable for charging.
- USB output can be used as a power bank, so there is no need to worry about the low battery of outdoor phones.
- High hardness materials with good impact resistance.
- Powerful waterproof, easy to deal with all kinds of rainstorm weather.

CHARGING

Connect the product to the supplied USB-C cable.

- While charging: The active segment (current battery level) flashes blue.
- Fully charged: All segments become solid blue (steady on).

Full charging time: Approximately 8 hours.

FUNCTIONS

1. Power & Mode Selection

Press the switch to cycle through modes:

Independent dual-switch control – The left switch controls LED modes (100% / 50% / Flash / OFF), while the right switch manages High Intensity LED modes (white and warm white brightness levels, red steady, and red flash), allowing precise lighting customization.

Durable and stable structure – Constructed from aluminum and ABS materials (595g), the tripod design ensures excellent stability and impact resistance, making it suitable for rugged outdoor and industrial use.

2. Quick Switch Off

If the light has been on for more than 10 seconds, a single press will turn it off directly (no need to cycle through all modes).

3. Battery Level Indicators

The blue battery level indicators show the remaining capacity when the light is turned on.

SPECIFICATIONS

Light bulb:	High Intensity LED+P50 light bulb
Material:	Aluminum alloy+Nylon
Battery:	18650/6000mA
Lumens:	2000LM
Charging time:	8 hours
Run Time:	5-12hrs
Discharge time:	High Intensity LED high 4h / low 8h white yellow full bright 3h / red light 10h P50 bulb high 5h/P50 bulb low 10h P50 bulb flash 12h
Function:	Left switch (high/low/flashing) Right switch (white light high/white light low /yellow light high/yellow light low /white yellow light bright /long press red light /red light flashing)
Product size:	77 x 210mm
Bracket size:	67 x 460mm
Elevated size:	1.2m
Product weight:	1180

WARRANTY INFORMATION

Our product is guaranteed to be free from manufacturing defects for a period of 12 Months.

If your product becomes defective during this period, Electus Distribution will repair, replace, or refund where a product is faulty; or not fit for intended purpose.

This warranty will not cover modified product; misuse or abuse of the product contrary to user instructions or packaging label; change of mind and normal wear and tear.

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and failure does not amount to a major failure.

To claim warranty, please contact the place of purchase. You will need to show receipt or other proof of purchase. Additional information may be required to process your claim.

Any expenses relating to the return of your product to the store will normally have to be paid by you.

The benefits to the customer given by this warranty are in addition to other rights and remedies of the Australian Consumer Law in relation to the goods or services to which this warranty relates.

This warranty is provided by:

Electus Distribution

Address 46 Eastern Creek Drive, Eastern Creek NSW 2766

Ph. 1300 738 555