12-in-1 USB-C to Multi-Port Laptop Docking Station

Model:
XC5914

Please read and save all instructions to ensure safe and effective use of this product.

Instruction Manual

PRODUCT DESCRIPTION

This USB 3.1 Type-C™to HDMI x 2 4K60Hz + DisplayPort 4K@60Hz+ USB-C (USB3.0 Data) + USB3.0/3.1/3.2 Gen1(5Gbps) x2 +USB2.0 + RJ45(1000M) + 3.5mm + TF + SD + PD(100W) lets you output HDMI™ /DisplayPort video and 3.5mm audio and connecting two USB 3.0 devices, USB-C(USB3.0 Data), USB2.0, SD 2.0 and TF 2.0 card, one RJ45 Gigabit(1000M) Ethernet port with power deliver function up to PD 3.0 100W from a USB 3.1 Type-C™ device such as a MacBook, MacBook Pro, Lenovo YOGA or ChromeBook Pixel™ laptop. It lets you utilize the versatile USB 3.1 Type-C™ port on your portable device. USB 3.1 Type-C™ is a reversible connector, so it doesn't matter which way you plug it in, the docking station will always work, saving you the hassle and embarrassment of fiddling with your device when you're trying to deliver a presentation.

The docking station lets you harness the video capabilities built into your USB 3.1 Type-C™ connection, to deliver the astonishing quality of Ultra HD to your 4K display. Plus, the docking station is backward compatible with 1080p displays, which makes it a great accessory for home, office or other workspace applications.

This USB 3.1 Type-C™ video docking station is highly portable with lightweight design, perfect accessory for your MacBook, MacBook Pro, Lenovo YOGA or ChromeBook Pixel™, fitting easily into your laptop bag or carrying case.

Note: Your USB-C™ equipped device must support video to work with this docking station.

BOX CONTENTS

- 1 x Laptop USB-C Dock
- User Manual

FEATURES

- Support UHD video resolutions up to 4K@60Hz for single display on HDMI connection or DisplayPort connect
- Support Dual-video output with resolutions up to 4K@60Hz or triple-video output with resolutions up to 4K@30Hz
- Support two USB 3.0 port and one USB-C (data only) up to 5Gbps data transmission with 5V 0.9A power supply capacity
- Support one USB 2.0 port up to 480Mbps data transmission with 5V 0.5A power supply capacity
- Support power deliver function up to 100W with PD 3.0 standard
- Support 10/100/1000Mbps for Gigabit (1000M) Ethernet port
- Support SD and TF card data transfer rates up to 6MB/s and follow the SD2.0/TF2.0 standard
- Support 3.5mm stereo audio output
- Built-in USB Type C cable to be connected directly to your source device
- Compatible with Thunderbolt 3
- Compatible with DP1.4 alt mode
- Compact design with aluminium alloy + ABS
- Plug and play with no driver or software installation at all

1. USB-C Male: Connect to the USB-C Enable Laptop/Notebook with Audio Video Output

2. PD: USB-C Power Deliver Port for Charging the connected laptop or devices up to 100W

3. HDMIx2: HDMI Output port to connect the display up to 4K@60Hz max

4. DP: Display port Output port to connect the display up to 4K@60Hz max

5. RJ45 Port: Gigabit (1000M) Ethernet port

6. USB-C : USB-C data port to connect the USB-C standard device up to 5Gbps data transmission

7. USB3.0/3.1/3.2 Gen1 x 2: USB-A port to connect the USB 3.0 standard device up to 5Gbps data transmission

8. USB 2.0 : USB-A port to connect the USB 2.0 standard device up to 480Mbps data transmission

9. TF (Micro-SD)/SD Card Slot: Connect to the TF (Micro-SD)/SD Card follow SD2.0 and TF2.0 up to 60MB/S

10. Stereo: 3.5mm stereo audio output

CONNECTION DIAGRAM

TROUBLESHOOTING

PROBLEMS	CAUSES	SOLUTIONS
Can`t display picture normally	Maybe the resolution is beyond the display supports or cable connection is not fitting well	Please change the notebook output resolution to a lower resolution and check the cable connection condition
Can`t get the 4K@30Hz 4:4:4 resolution	Maybe the output display is a 4K@30Hz display or the notebook`s USB-C output bandwidth is not enough	Please change to a newer 4K60 HDR TV or change a notebook compatible with the DP 1.4 standard or thunderbolt 3
When the PD (Power Delivery) is connected, it is not compatible with large-capacity hard drives or other high-power consumption devices.	The required power may exceed the limit of the USB 3.0 port.	Please provide an additional power supply for large-capacity hard drives or other high-power consumption devices.

SPECIFICATIONS

Input Ports	USB-C Male, USB-C Female x 1 (PD)
Output Ports	HDMI x 2,DisplayPort x 1, USB-C(data) x 1, USB 3.0 x 2,USB2.0 x 1, SD x1,TF x1, RJ45 x 1, 3.5mm x 1
Data Transmission Rate (Max)	5Gbps
Data Transmission Standard	USB 3.0 (USB 3.1 GEN 1)
Vertical Frequency Range	50/60Hz
Video Amplifier Bandwidth	3.4Gbps/340MHz per channel(10.2Gbps all channels)
Interlaced(50&60Hz)	480i,576i,1080i
Progressive(50&60Hz)	480p,576p,720p,1080p,4K@24/30Hz
Limited Warranty	1 Year Parts and Labor
Operating Temperature	0ºC to 60ºC
Storage Humidity	5% to 90% RH non-condensation
Unit Cert	FCC, CE, RoHS
Dimension(LxWxH)	284*80*17mm
Net Weight	250g
Material	Aluminium Alloy + ABS

Note: Specifications are subject to change without notice.

WARRANTY INFORMATION

Our product is guaranteed to be free from manufacturing defects for a period of 12 Months.

If your product becomes defective during this period, Electus Distribution will repair, replace, or refund where a product is faulty; or not fit for intended purpose.

This warranty will not cover modified product; misuse or abuse of the product contrary to user instructions or packaging label; change of mind and normal wear and tear.

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and failure does not amount to a major failure.

To claim warranty, please contact the place of purchase. You will need to show receipt or other proof of purchase. Additional information may be required to process your claim.

Any expenses relating to the return of your product to the store will normally have to be paid by you.

The benefits to the customer given by this warranty are in addition to other rights and remedies of the Australian Consumer Law in relation to the goods or services to which this warranty relates.

This warranty is provided by:

Electus Distribution
Address 46 Eastern Creek Drive, Eastern Creek NSW 2766
Ph. 1300 738 555

HIGH-DEFINITION MULTIMEDIA INTERFACE

Dolby is a trademark of Dolby Laboratories.

The Adopted Trademarks HDMI, HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing Administrator, Inc. in the United States and other countries.

All other trademarks, registered trademarks, or service marks are the property of their respective owners.