

PM-14 Portable Monitor Full HD 1080p 14"





Screen size 14"



Full High Definition



16.7 Million colours



In-Plane switching technology

Expanded viewing

The Verbatim Portable Monitor gives you an extra dimension for your work and play. You can use it as a second screen for your laptop when you are travelling or giving one-on-one presentations, or to provide a large additional display for your phone, tablet, or portable gaming system*. Compact and versatile, the portable monitor gives you ultimate flexibility for increased productivity and entertainment while on the go.

The portable 14" display weighs only 760g and has a 6mm slim profile, 12mm at the base, so it fits easily in any travel bag. It's the ideal solution to help you overcome one-screen limitations outside the office, extending your visual experience, anytime and anywhere.

www.verbatim.com.au

^{*} Ensure your device has a USB-C port supporting DisplayPort Alt Mode and power delivery.

PM-14

Portable Monitor Full HD 1080p 14"



General Information				
Product dimensions WxHxD (mm)	328.92 x 209.05	x 6/12mm (Min/Max)		
Material	Panel: a-Si TFT-L	CD; Monitor casing: Plastic; Sleeve: Neo	prene	
Colour	Black	Product weight (grams) approx	760	
Tilt	0° to 85° tilt	Pivot	NA	
VESA mounting	NA	Kensington lock	NA	
Swivel	NA	Portrait mode	NA	
Display				
Panel type	IPS technology	IPS technology		
Display size	14" LED-Backligh	nt		
Brightness (typical)	220-250 cd/m2 (typical)			
NTSC	45% NSTC			
Contrast (typical)	1000:1 (typical)	1000:1 (typical)		
Active area (mm)	309.31 × 173.99	309.31 × 173.99 mm (H×V)		
Pixel pitch (mm)		0.1611 × 0.1611 mm (H×V) [157PPI]		
Resolution (H x V)	1920 x 1080			
Aspect ratio	16:9			
Response time (typical)	Response time (ty	Response time (typical GTG): 6ms Response time (typical Tr+Tf): 11+9 ms Response time (BtW): 10 ms		
View angles LR,DU (CR>10)	H 178°/ V 178°(M	in)		
Panel surface	Matt			
Display colours	16.7M colours			
PC Input Range				
Vertical frequency	30 to 60Hz			
Maximum display frequency		Hz (Resolution H*V/Fv)		
Input/Output				
USB-C1/2	2 v LISB C suppo	orting DisplayPort Alt Mode		
HDMI		2 x USB-C supporting DisplayPort Alt Mode 1 x Standard HDMI (1.4)		
USB-A	1 x USB-A 2.0	, ,		
Earphone				
Speaker (typical)	2 x 1W (8Ω)	1 x 3.5 mm Audio jack		
Power	- A 1 V V (U32)			
	0 4044 6	U - 0 FM Off 0 FM		
Consumption (typical)		On: <12W; Standby<0.5W, Off<0.5W		
PD power		PD 5V3A 9V3A 12V3A 15V3A 20V 3.25A		
Power mode indicator light		Power on: BLUE (LED) / Power saving: RED (LED)		
Battery	N/A			
Controls				
Physical controls		Power & Menu button; Up button (+), Down button (-)		
On screen display	Picture adjust, Colour adjust, Audio adjust, Other settings (Language selection (EN, FR, DE, ES, IT, RUS), HDR, Reset), Signal source selection			
Colour temperature	9300K / 6500K / SRGB / User Mode (default 7500K)			
Preset mode	Standard, Game,	Movie, Photo, Vivid, User		
Other Features				
Stand	Built-in kickstand	, Tilt: from 0° up to 85°		
Supported technology		IPS; HDR; FreeSync; Low blue light		
	, ,			



PM-14

Portable Monitor Full HD 1080p 14"

Storage and Operating Conditions			
Storage temperature	-20°C to 60°C		
Operating temperature	0°C to 40°C		
Operating humidity	20% to 85% RH non-condensing		

PN	Description	Bar Code	EAN128 Code	EAN14 Code
49590	Verbatim PM-14 Portable Monitor 14" Full HD 1080p	023942495901	(02)00023942495901(37)0691491	20023942495905

Logistic Information				
Pack dimensions LxWxH	256 x 430 x 58 mm			
Pack weight	1 690 g			
Pcs per pack	1			
Outer cartons dimensions LxWxH	442 x 132 x 280 mm			
Outer cartons weight	3800 g			
Pcs per outer carton	2			
Outer carton per layer	16			
Layers per pallet	4			
Pcs per pallet	128			

Pack Contents:

- Verbatim PM-14 Portable Monitor
 14" Full HD 1080p
- USB-C to USB-C cable-1.0m
- HDMI-HDMI cable-1.5m
- USB-A to USB-C cable-1.2m
- AU power supply
- Neoprene protection sleeve
- Quick start guide

System Requirements

• Interface:

HDMI (power supply required, included) USB-C

• OS Compatibility: Android OS, Windows 11/10/8 Mac OS, iOS (adapter required for Lightning devices, not included)

Warranty

2 Year Limited Warranty